



## **Downtown Detroit Painting Scope of Work**

(Prepared: August 14, 2023)

A selection of decorative poles in Downtown Detroit are due for full repainting. To bid on this project, submit a letter describing your approach, with line-item costs, to:

Marie A. Brown, Chief Administrative Officer  
Public Lighting Authority of Detroit  
[mbrown@pladetroit.org](mailto:mbrown@pladetroit.org)

**DUE: AUGUST 18, 2023, BY 4PM**

### Overview of Project

- Projection of 500 poles to be painted.
- Type of poles being painted are primarily post tops, decorative teardrops.
- Poles selected by the PLA shall be fully repainted.
- Skirts, pole and arms shall be repainted.
- Street light fixtures / Luminaires shall not be painted.
- Any 5G/ telecom poles shall not be painted.
- Only one color of paint shall be used, RAL6008 Brown Green “Detroit Green.”
- The PLA shall supply the paint RAL6008 Brown Green.

### Workflow

- PLA will pass out all jobs, through work orders managed through PLA’s asset management system.
- Contactor and crew shall provide a daily update / logging count of poles prepped, painted, and other work performed.
- The PLA shall provide a point of contact for the contractor to coordinate with.
- If any parts of a pole are found to be damaged, such as skirt or cover, please notify the PLA point of contact.

### Prep work

- Remove any debris around pole.
- Prepare poles for repainting: remove all tape, posters, stickers, graffiti, any residue to ensure pole is clean and smooth.
- Remove any loose paint and rust, sand to ensure pole is smooth.

### Painting

- Paint poles with 1 layer of, RAL6008 Brown Green “Detroit Green”
- All paint shall be brushed / rolled on, no paint sprayers.
- When painting cover/tape off surfaces and attachments such as cement, bricks, street signs, traffic signals, cameras and GFCI plugs, to ensure paint doesn’t get on them.
- If crew moves onto the next pole, the previous pole if paint is still wet shall have “wet Paint” signs affixed.